I Number	Hits	Search Text	DB	Time stamp
L Number	riits 1	(evaluation near flag) with component	USPAT;	2003/09/15 15:56
ı	•	(cvauauon near nag) with component	EPO; JPO; DERWENT; IBM_TDB	2003/07/13 13.30
2	16	(evaluation near2 (marker OR indicator OR symbol)) with component	USPAT; EPO; JPO; DERWENT;	2003/09/15 15:58
3	118	bit with component with evaluat\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 15:58
4	11	(bit with component with evaluat\$3) and message	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:01
5	1635	(second with message) and network and evaluation	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:03
6	687	((second with message) and network and evaluation) and flag	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:02
7	569	(((second with message) and network and evaluation) and flag) and component	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:02
8	978	(second with message) and (program near2 (object OR component))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:04
9	7	((second with message) and (program near2 (object OR component))) and (component near2 evaluat\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:16
10	4	(mutex near lock) same evaluat\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/15 16:17
-	5	(version adj information) and (server same send\$3 same version) and (client same receiv\$3 same version) and (table same components)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:58
-	74	(version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 11:26
-	62	((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component	USPAT; EPO; JPO; DERWENT;	2003/09/11 11:26
-	1	(((((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and (database OR table)) and (program near memory)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 11:28
-	1	(((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and version ti.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 11:39
-	0	(((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and upgrad\$3.ti.	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 11:39

-	59	(((version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))) and component) and (database	USPAT; EPO; JPO;	2003/09/11 11:43
-	4	OR table) 717.clas. and (version adj information) and server and client and computer and (version same message same (send\$3 OR transmit\$4))	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 11:50
-	193	717.clas. and (version same (updat\$3 OR upgrad\$3)) and server and client	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 11:52
-	171	(717.clas. and (version same (updat\$3 OR upgrad\$3)) and server and client) and component	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 11:52
-	5	((717.clas. and (version same (updat\$3 OR upgrad\$3)) and server and client) and component) and (version near2 message)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 11:59
-	0	717.clas. and (software near (updat\$3 OR upgrad\$3)) and server and client and (component near3 count\$2)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 12:00
-	4	(software near (updat\$3 OR upgrad\$3)) and server and client and (component near3 count\$2)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 12:01
-	5	717.clas. and (software near (updat\$3 OR upgrad\$3)) and server and client and (component same count\$2)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 13:30
-	60	(reference adj count\$3) and software and upgrad\$3 and version and (client with server)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 14:34
-	61	(distributed same processing) and ((upgrad\$3 OR updat\$3) same (program OR software) same version) and stub	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 14:38
-	5969	19960606.ad.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/11 14:50
-	13490	19950606.ad.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/09/11 14:50
-	0	"8".SRC. and 471659.ap.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/11 14:53
-	2	5764992.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/09/11 15:10
-	6	(program near component) same transfer and server and client and stor\$3 and version	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 15:11
-	26	(distributed\$10bject OR (distributed adj object)) same transfer\$3 and (upgrad\$3 OR updat\$3) and client and server and version	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 16:14
L	L		IBM_TDB	

5 27 90 67 57 4 6 305	(distributed\$1software) OR (distributed adj (program OR software)) same transfer\$3 and (upgrad\$3 OR updat\$3) and client and server and version  (distributed\$1component) OR (distributed adj component) same transfer\$3 and (upgrad\$3 OR updat\$3) and client and server and version  version with message with server with client  (version with message with server with client) and software  ((version with message with server with client) and software) and component  ("5732275"   "5805891"   "5845077"   "5909581").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 16:17 2003/09/11 16:54 2003/09/11 16:55 2003/09/11 16:55
90 67 57	and (upgrad\$3 OR updat\$3) and client and server and version  version with message with server with client  (version with message with server with client) and software  ((version with message with server with client) and software) and component  ("5732275"   "5805891"   "5845077"   "5909581").PN.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 16:55 2003/09/11 16:55
67 57 4 6	version with message with server with client  (version with message with server with client) and software  ((version with message with server with client) and software) and component  ("5732275"   "5805891"   "5845077"   "5909581").PN.	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 16:55
67 57 4 6	(version with message with server with client) and software  ((version with message with server with client) and software) and component  ("5732275"   "5805891"   "5845077"   "5909581").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/11 16:55
57 4 6	((version with message with server with client) and software) and component ("5732275"   "5805891"   "5845077"   "5909581").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	
4 6	("5732275"   "5805891"   "5845077"   "5909581").PN.	USPAT; EPO; JPO; DERWENT;	2003/09/11 16:55
6	("5732275"   "5805891"   "5845077"   "5909581").PN.	IBM_TDB	
6	("5732275"   "5805891"   "5845077"   "5909581").PN.		
6	, , , , , , , , , , , , , , , , , , , ,	USPAT	2003/09/11 17:09
305	("4954941"   "5155847"   "5359730"   "5379429"   "5473772"   "5586304").PN.	USPAT	2003/09/11 17:15
	"management information table"	USPAT; EPO; JPO; DERWENT;	2003/09/12 10:40
75	"management information table" and version	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 10:40
48	("management information table" and version) and (updat\$3 OR upgrad\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 11:42
0	"information table" same (reference adj count\$2) same increment same decrement	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 11:43
4	"information table" same (reference adj count\$2)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:05
8	table same (reference adj count\$2) same (zero OR '0') same remove	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 13:38
3	(reference adj count\$2) same (zero OR '0') same remove same execut\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 13:40
14	(reference adj count\$2) same (zero OR '0') same remove and ((execut\$3 OR run\$3) with component)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 13:57
37707	(reference adj count\$2) same (zero OR '0') same remove (distributed same component)	IBM_TDB USPAT; EPO; JPO;	2003/09/12 13:57
1	(reference adj count\$2) same (zero OR '0') same remove and (distributed same component)	IBM_TDB USPAT; EPO; JPO;	2003/09/12 13:58
	((reference adj pointer) same (zero OR '0') same remove) and (distributed	IBM_TDB USPAT; EPO; JPO;	2003/09/12 13:58
	4 8 3 14 37707	decrement  4 "information table" same (reference adj count\$2)  8 table same (reference adj count\$2) same (zero OR '0') same remove  3 (reference adj count\$2) same (zero OR '0') same remove same execut\$3  14 (reference adj count\$2) same (zero OR '0') same remove and ((execut\$3 OR run\$3) with component)  16 (reference adj count\$2) same (zero OR '0') same remove (distributed same component)  1 (reference adj count\$2) same (zero OR '0') same remove and (distributed same component)	"information table" same (reference adj count\$2) same increment same decrement  "information table" same (reference adj count\$2)  "information table" same remove same execut\$3  "information table"

		•		
•	0	((reference adj number) same (zero OR '0') same remove) and (distributed same component)	USPAT; EPO; JPO;	2003/09/12 13:58
-	1	((reference adj count\$2) same (zero OR '0') same remove) and (distributed same component)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 13:58
-	792	(reference adj count\$2) same zero	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:13
-	0	((reference adj count\$2) same zero) and (evaluation near flag)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:12
-	230	. ((reference adj count\$2) same zero) and flag	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:12
-	136	(((reference adj count\$2) same zero) and flag) and remove	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:13
-	192	(reference adj count\$2) same zero same memory	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 15:04
-	60	((reference adj count\$2) same zero same memory) and flag	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:14
-	35	(((reference adj count\$2) same zero same memory) and flag) and server	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:14
-	19	(((((reference adj count\$2) same zero same memory) and flag) and server) and client	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:14
-	30	(((((reference adj count\$2) same zero same memory) and flag) and server) and distribut\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:41
-	85	((reference adj count\$2) same zero same memory) and distribut\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:41
-	60	(((reference adj count\$2) same zero same memory) and distribut\$2) and server	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:42
-	59	((((reference adj count\$2) same zero same memory) and distribut\$2) and server) and distributed	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:43
-	25	((((reference adj count\$2) same zero same memory) and distribut\$2) and server) and (distributed near object)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 14:43
-	10	(reference adj count\$2) same zero same memory same remove	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 15:05
-	50	(reference adj count\$2) same zero same memory same (remove\$1 OR release\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/09/12 15:20
			IBM_TDB	

		<del>-</del>		
-	26	((reference adj count\$2) same zero same memory same (remove\$1 OR	USPAT;	2003/09/12 15:08
		release\$1)) and distributed	EPO; JPO;	
		<i>"</i>	DERWENT;	
			IBM_TDB	
_	l o	(evaluation adj count\$2) same zero same memory same (remove\$1 OR	USPAT;	2003/09/12 15:20
		release\$1)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
_	10	(evaluation adj count\$2) same zero	USPAT;	2003/09/12 15:21
		(**************************************	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	(evaluation near (flag OR marker)) with component	USPAT;	2003/09/12 15:22
-	1	(evaluation near (mag OK marker)) with component	EPO; JPO;	2003/07/12 13:22
			DERWENT;	
			IBM_TDB	2002 /00 /12 16:26
-	1	(client adj stub) same version same program	USPAT;	2003/09/12 16:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	(client adj stub) same version	USPAT;	2003/09/12 16:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(stub near process\$3) same version same message	USPAT;	2003/09/12 16:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(stub near process\$3) same version	USPAT;	2003/09/12 16:29
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	4	stub same message same version	USPAT;	2003/09/12 16:29
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
١.	6	("5577251"   "5640564"   "5751967"   "5754857"   "5787251"	USPAT	2003/09/12 16:46
		"6157961").PN.		' '
l <u>.</u>	7	(client near stub) and (server near stub) and skeleton and version	USPAT;	2003/09/15 15:55
	1 '	Chem near seasy and (server near seasy and second and version	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
İ	45	(client near stub) and (server near stub) and version	USPAT;	2003/09/15 10:29
-	43	(chefit heat study and (server fical study and version	EPO; JPO;	2005, 07, 15 10.27
			DERWENT;	
			1	
	J		IBM_TDB	l